




8015 Shoal Creek Blvd., Ste. 211
 Austin, Tx 78757
 Tel. (512) 451-6511 Fax (512) 451-6651
 www.crdentaltechnology.com
 crdental@sbcglobal.net
 Registration #022658

Dr. Name _____ Phone _____
 Patient _____
 Rx Date _____ Deliver by 5 p.m. on _____

LAB USE ONLY		
M()		
F()		

INSTRUCTIONS

LAB USE ONLY	
I	_____
F	_____
B	_____
SM	_____
PAR	_____
OC	_____
OM	_____



- PFM PREMIUM** LAB TIME: 10 DAYS (2.5 UMS)
 FUSED TO NON-PRECIOUS
 FUSED TO SEMI-PRECIOUS
 FUSED TO WHITE HIGH NOBLE
 FUSED TO YELLOW HIGH NOBLE
- PFM SELECT** LAB TIME: 10 DAYS (1.5 UMS)
 FUSED TO NON-PRECIOUS
 FUSED TO SEMI-PRECIOUS
 FUSED TO HIGH NOBLE
- ALL-CERAMICS** LAB TIME: 10 DAYS (2.5 UMS)
 FULL ZIRCONIA
 Use Mux Mux
 PORCELAIN TO ZIRCONIA
 EMPRESS
 EMAX Stained Layered
- TEMPORARIES** LAB TIME: 10 DAYS (1.5 UMS)
 MILLED TEMP
 RADICA
- IMPLANT** LAB TIME: 12 DAYS (2.5 UMS)
 FULL ZIRCONIA
 EMAX
 PORC. FUSED TO SEMI-PRECIOUS
 PORC. FUSED TO WHITE HIGH NOBLE
 SCREW RETAINED
 CAD / CAM CUSTOM ABUTMENT
 Titanium Zirconia
 Other _____
 Company _____

CERAMIC SHADE INSTRUCTIONS

STUMP / DENTIN SHADE: _____

VITA-LUMIN _____ VITA 3D _____
 CHROMOSCOOP _____ BIOFORM _____
 CLASSIC _____

OCCLUSAL STAINING
 NONE LIGHT MEDIUM DARK

PONTIC DESIGN

BUCCAL MARGIN DESIGN
 METAL HAIRLINE OR _____ MM ON BUCCAL
 PORCELAIN TO METAL MARGIN
 PORCELAIN BUTT MARGIN (90 SHOULD REQ.)

METAL DESIGN
 METAL COPING WITH PORCELAIN COVERAGE
 METAL OCCLUSAL EXCLUDING BUCCAL CUSP
 METAL OCCLUSAL INCLUDING BUCCAL CUSP

SIGNATURE: _____
 DDS LICENSE # _____
 ALL ACCOUNTS ARE PAYABLE WITHIN 15 DAYS OF STATEMENT DATE.
 CUSTOMER AGREES TO COMPANY POLICY AS STATED ON REVERSE

- PLEASE SEND THE FOLLOWING FOR 3 UNITS OR MORE**
- FULL ARCH IMPRESSION
 - STUDY MODELS
 - BITE REGISTRATION
 - PICTURES

- FULL CAST**
 NON-PRECIOUS SEMI-PRECIOUS HIGH NOBLE
- SPECIAL ENCLOSURE**
 SHADE TAB
 OTHER _____
- DIE TRIM LAB TIME: 3 DAYS
 METAL TRY-IN LAB TIME: 5 DAYS
 BISQUE TRY IN LAB TIME: 8 DAYS
 FINISH
- CONTACT:** Tight Medium Light
OCC. BITE: Tight Medium Light
- IF NO OCCLUSAL CLEARANCE:**
 METAL OCCLUSION
 SPOT OPPOSING
 REDUCTION COPING
 METAL ISLAND

- IMPLANT TYPE**
 ZIMMER BIOHORIZON
 NOBLE BIOCARE STRAUMANN
 ATLANTIS ASTRA
 31 OTHER _____
- PARTS ENCLOSED**
 LAB ANALOG IMPRESSION COPING
 ABUTMENT REPLICA
 ABUTMENTS
 OTHER _____
 REFERENCE #S _____
 SIZE _____

ANTERIOR DESIGN
 3/4 METAL LINGUAL 1/4 METAL LINGUAL

